

Zestawienie stali do rysunku nr 2.

Zestawienie stali do wyznaczenia						Długość				
L.P.	Element	Nr.Pręta	Śred. ϕ	Dług.pręta [m]	L.Prętów [szt]	A-IIIN	A-IIIN	A-IIIN	A-IIIN	A-IIIN
						$\phi 16$	$\phi 12$	$\phi 10$	$\phi 8$	$\phi 6$
1.	Ława Ł-1	1	12	98	8	-	784,0	-	-	-
2.		2	6	1,0	380	-	-	-	-	380
3.		3	6	0,86	380	-	-	-	-	326,8
4.		4	10	0,9	760	-	-	684,0	-	-
5.		5	10	1,25	760	-	-	950,0	-	-
6.		6	10	98	4	-	-	392,0	-	-
7.	Ława Ł-2	1	12	68	8	-	544,0	-	-	-
8.		2	6	1,0	264	-	-	-	-	264
9.		3	6	0,86	264	-	-	-	-	227,04
10.		4	10	0,9	528	-	-	475,2	-	-
11.		5	10	1,25	528	-	-	660,0	-	-
12.		6	10	68	4	-	-	272,0	-	-
13.	Ława Ł-3	1	12	12	10	-	120,0	-	-	-
14.		2	6	1,0	32	-	-	-	-	32
15.		3	6	0,86	32	-	-	-	-	27,52
16.		6	10	9	4	-	-	36,0	-	-
17.		7	12	0,9	64	-	57,6	-	-	-
18.		8	12	1,25	64	-	80,0	-	-	-
19.		9	12	1,1	64	-	70,4	-	-	-
Razem długość w mb.						0,0	1656,0	3469,2	0,0	1257,36
Masa 1 mb [kg/mb]						1,58	0,888	0,617	0,395	0,222
Masa całkowita [kg]						0,00	1470,53	2140,5	0,0	279,1

Zestawienie stali do rysunku nr 3.

L.P.	Element	Nr.Pręta	Śred. ϕ	Dług.pręta [m]	L.Prętów [szt]	Długość					
						A-IIIIN	A-IIIIN	A-IIIIN	A-IIIIN	A-IIIIN	
						$\phi 16$	$\phi 12$	$\phi 10$	$\phi 8$	$\phi 6$	
1.	Ława Ł-4	1	12	11	8	-	88,0	-	-	-	
2.		2	6	1,0	40	-	-	-	-	40	
3.		3	6	0,86	40	-	-	-	-	34,4	
4.		4	10	0,9	80	-	-	72,0	-	-	
5.		5	10	1,25	80	-	-	100,0	-	-	
6.		6	10	11	4	-	-	44,0	-	-	
7.	Ława Ł-5	7	6	1,32	88	-	-	-	-	116,16	
8.		8	12	8,0	14	-	112,0	-	-	-	
9.		Ława Ł-6	1	12	2	4	-	8,0	-	-	-
10.			9	6	0,9	8	-	-	-	-	7,36
11.			10	12	2,3	22	-	50,6	-	-	-
12.			6	10	2	6	-	-	12,0	-	-
Razem długość w mb.						0,0	258,6	228,0	0,0	197,92	
Masa 1 mb [kg/mb]						1,58	0,888	0,617	0,395	0,222	
Masa całkowita [kg]						0,00	229,64	140,7	0,0	43,9	

Zestawienie stali do rysunku nr 4.

L.P.	Element	Nr.Pręta	Śred. ϕ	Dług.pręta [m]	L.Prętów [szt]	Długość				
						A-IIIIN	A-IIIIN	A-IIIIN	A-IIIIN	A-IIIIN
						$\phi 16$	$\phi 12$	$\phi 10$	$\phi 8$	$\phi 6$
1.	Wiązka	1	16	2,35	68	159,8	-	-	-	-
2.	Wr-1	2	6	0,7	138	-	-	-	-	96,6
3.	Wiązka	1	6	2,35	8	-	-	-	-	18,8
4.	Wr-3	3	6	0,92	16	-	-	-	-	14,72
5.	Ława	1	12	8	8	-	64,0	-	-	-
6.	Ł-2.1	2	6	1,0	28	-	-	-	-	28
7.		3	6	0,86	28	-	-	-	-	24,08
8.		4	10	0,9	56	-	-	50,4	-	-
9.		5	10	1,65	56	-	-	92,4	-	-
10.		6	10	68	8	-	-	544,0	-	-
Razem długość w mb.						159,8	64,0	686,8	0,0	182,2
Masa 1 mb [kg/mb]						1,58	0,888	0,617	0,395	0,222
Masa całkowita [kg]						252,48	56,83	423,8	0,0	40,4

Zestawienie stali do rysunku nr 5.

L.P.	Element	Nr.Pręta	Śred. ϕ	Dług.pręta [m]	L.Prętów [szt]	Długość				
						A-IIIN	A-IIIN	A-IIIN	A-IIIN	A-IIIN
						$\phi 16$	$\phi 12$	$\phi 10$	$\phi 8$	$\phi 6$
1.	Wiązka	1	12	2,35	12	-	28,2	-	-	-
2.	Wr-5	3	6	1,12	16	-	-	-	-	17,92
3.	Wiązka	1	12	2,35	24	-	56,4	-	-	-
4.	Wr-6	3	6	1,12	32	-	-	-	-	35,84
Razem długość w mb.						0,0	84,6	0,0	0,0	53,76
Masa 1 mb [kg/mb]						1,58	0,888	0,617	0,395	0,222
Masa całkowita [kg]						0,00	75,12	0,0	0,0	11,9

Zestawienie stali do rysunku nr 11.

L.P.	Element	Nr.Pręta	Śred. ϕ	Dług.pręta [m]	L.Prętów [szt]	Długość				
						A-IIIN	A-IIIN	A-IIIN	A-IIIN	A-IIIN
						$\phi 16$	$\phi 12$	$\phi 10$	$\phi 8$	$\phi 6$
1.	Płyta	1	12	2,85	26	-	74,1	-	-	-
2.	P-1	2	10	1,14	92	-	-	104,9	-	-
3.		3	12	2,75	25	-	68,8	-	-	-
Razem długość w mb.						0,0	142,9	104,9	0,0	0
Masa 1 mb [kg/mb]						1,58	0,888	0,617	0,395	0,222
Masa całkowita [kg]						0,00	126,85	64,7	0,0	0,0

Zestawienie stali do rysunku nr 12.

L.P.	Element	Nr.Pręta	Śred. ϕ	Dług.pręta [m]	L.Prętów [szt]	Długość				
						A-IIIN	A-IIIN	A-IIIN	A-IIIN	A-IIIN
						$\phi 16$	$\phi 12$	$\phi 10$	$\phi 8$	$\phi 6$
1.	Strop nad parterem	1	10	7,21	13	-	-	93,7	-	-
2.		2	10	7,05	13	-	-	91,7	-	-
3.		3	10	4,92	7	-	-	34,4	-	-
4.		4	10	4,76	7	-	-	33,3	-	-
5.		5	12	6,71	52	-	348,9	-	-	-
6.		6	12	6,55	52	-	340,6	-	-	-
7.		7	10	9,71	20	-	-	194,2	-	-
8.		8	10	9,55	20	-	-	191,0	-	-
9.		9	10	7,21	16	-	-	115,4	-	-
10.		10	10	7,05	16	-	-	112,8	-	-
11.		11	12	6,9	10	-	69,0	-	-	-
12.		12	10	7,15	17	-	-	121,6	-	-
13.		13	12	7,14	4	-	28,6	-	-	-
14.		14	12	6,9	4	-	27,6	-	-	-
15.		15	10	6,9	17	-	-	117,3	-	-

16.	16	10	5,6	26	-	-	145,6	-	-
17.	17	10	5,35	13	-	-	69,6	-	-
18.	18	10	6,9	15	-	-	103,5	-	-
19.	19	10	7,15	16	-	-	114,4	-	-
20.	20	10	3,84	10	-	-	38,4	-	-
21.	21	10	3,91	6	-	-	23,5	-	-
22.	22	10	3,76	6	-	-	22,6	-	-
23.	23	10	4,91	8	-	-	39,3	-	-
24.	24	10	4,76	8	-	-	38,1	-	-
25.	24a	10	3,79	10	-	-	37,9	-	-
26.	25	10	3,94	10	-	-	39,4	-	-
27.	26	10	3,99	10	-	-	39,9	-	-
28.	27	10	3,83	10	-	-	38,3	-	-
29.	28	12	7,6	62	-	471,2	-	-	-
30.	29	12	7,45	62	-	461,9	-	-	-
31.	30	12	8,21	28	-	229,9	-	-	-
32.	31	12	8,05	28	-	225,4	-	-	-
33.	32	10	3,55	50	-	-	177,5	-	-
34.	33	10	3,49	50	-	-	174,5	-	-
35.	34	12	8,19	56	-	458,6	-	-	-
36.	35	10	10,22	24	-	-	245,3	-	-
37.	36	12	10,22	24	-	245,3	-	-	-
38.	37	12	6,71	40	-	268,4	-	-	-
39.	38	10	6,55	40	-	-	262,0	-	-
40.	39	10	2,0	28	-	-	56,0	-	-

41.	40	12	2,0	16	-	32,0	-	-	-
42.	41	12	2,0	24	-	48,0	-	-	-
43.	42	12	4,0	58	-	232,0	-	-	-
44.	43	12	4,0	42	-	168,0	-	-	-
45.	44	12	3,0	44	-	132,0	-	-	-
46.	45	12	4,0	123	-	492,0	-	-	-
47.	46	12	4,0	118	-	472,0	-	-	-
48.	47	12	4,0	55	-	220,0	-	-	-
49.	48	12	3,0	17	-	51,0	-	-	-
50.	49	12	3,0	17	-	51,0	-	-	-
51.	50	12	3,5	88	-	308,0	-	-	-
52.	51	12	3,5	62	-	217,0	-	-	-
53.	52	10	2,5	14	-	-	35,0	-	-
54.	53	10	2,2	14	-	-	30,8	-	-
55.	54	10	5,1	6	-	-	30,7	-	-
56.	55	10	5,3	6	-	-	31,5	-	-
57.	56	10	2,6	22	-	-	58,1	-	-
58.	57	10	2,2	14	-	-	30,1	-	-
59.	58	10	2,6	20	-	-	52,8	-	-
60.	59	10	3,0	40	-	-	120,0	-	-
61.	60	10	4,5	15	-	-	66,8	-	-
62.	61	10	12,0	78	-	-	936,0	-	-
Razem długość w mb.					0,0	5598,4	4162,7	0,0	0
Masa 1 mb [kg/mb]					1,58	0,888	0,617	0,395	0,222
Masa całkowita [kg]					0,00	4971,36	2568,4	0,0	0,0

Zestawienie stali do rysunku nr 45.

L.P.	Element	Nr.Pręta	Śred. ϕ	Dług.pręta [m]	L.Prętów [szt]	Długość				
						A-IIIN	A-IIIN	A-IIIN	A-IIIN	A-IIIN
						$\phi 16$	$\phi 12$	$\phi 10$	$\phi 8$	$\phi 6$
1.	Wieniec	1	12	115	4	-	460,0	-	-	-
2.	W1-1	2	6	0,94	432	-	-	-	-	406,08
3.	Wieniec	1	12	72	4	-	288,0	-	-	-
4.	W1-2	2	6	0,94	265	-	-	-	-	249,1
5.	Wieniec	1	12	4	4	-	16,0	-	-	-
6.	W1-3	2	6	0,76	16	-	-	-	-	12,16
Razem długość w mb.						0,0	764,0	0,0	0,0	667,34
Masa 1 mb [kg/mb]						1,58	0,888	0,617	0,395	0,222
Masa całkowita [kg]						0,00	678,43	0,0	0,0	148,1

Zestawienie stali do rysunku nr 46.

L.P.	Element	Nr.Pręta	Śred. ϕ	Dług.pręta [m]	L.Prętów [szt]	Długość				
						A-IIIN	A-IIIN	A-IIIN	A-IIIN	A-IIIN
						$\phi 16$	$\phi 12$	$\phi 10$	$\phi 8$	$\phi 6$
1.	Strop nad piętrem	1	10	7,21	13	-	-	93,7	-	-
2.		2	10	7,05	13	-	-	91,7	-	-
3.		3	10	4,92	7	-	-	34,4	-	-
4.		4	10	4,76	7	-	-	33,3	-	-
5.		5	10	6,71	52	-	-	348,9	-	-
6.		6	10	6,55	52	-	-	340,6	-	-
7.		7	10	9,71	20	-	-	194,2	-	-
8.		8	10	9,55	20	-	-	191,0	-	-
9.		9	10	7,21	16	-	-	115,4	-	-

10.	10	10	7,05	16	-	-	112,8	-	-
11.	11	12	6,9	10	-	69,0	-	-	-
12.	12	10	7,15	17	-	-	121,6	-	-
13.	13	12	7,14	4	-	28,6	-	-	-
14.	14	12	6,9	4	-	27,6	-	-	-
15.	15	10	6,9	17	-	-	117,3	-	-
16.	16	10	5,6	26	-	-	145,6	-	-
17.	17	10	5,35	13	-	-	69,6	-	-
18.	18	10	6,9	15	-	-	103,5	-	-
19.	19	10	7,15	16	-	-	114,4	-	-
20.	20	10	3,84	10	-	-	38,4	-	-
21.	21	12	3,84	16	-	61,4	-	-	-
22.	22	10	2,05	10	-	-	20,5	-	-
23.	23	10	4,91	8	-	-	39,3	-	-
24.	24	10	4,76	8	-	-	38,1	-	-
25.	24a	10	4,05	8	-	-	32,4	-	-
26.	25	10	3,88	8	-	-	31,0	-	-
27.	26	10	7,38	6	-	-	44,3	-	-
28.	27	10	5,29	6	-	-	31,7	-	-
29.	28	10	7,6	62	-	-	471,2	-	-
30.	29	10	7,45	62	-	-	461,9	-	-
31.	30	10	3,84	32	-	-	122,9	-	-
32.	31	10	8,15	55	-	-	448,3	-	-

33.	32	10	3,55	50	-	-	177,5	-	-
34.	33	10	3,49	50	-	-	174,5	-	-
35.	34	10	8,19	56	-	-	458,6	-	-
36.	35	10	10,22	24	-	-	245,3	-	-
37.	36	10	10,22	24	-	-	245,3	-	-
38.	37	12	6,71	40	-	268,4	-	-	-
39.	38	12	6,55	40	-	262,0	-	-	-
40.	39	10	2,0	28	-	-	56,0	-	-
41.	40	12	2,0	48	-	96,0	-	-	-
42.	41	12	2,0	64	-	128,0	-	-	-
43.	42	12	4,0	58	-	232,0	-	-	-
44.	43	12	4,0	42	-	168,0	-	-	-
45.	44	12	3,0	71	-	213,0	-	-	-
46.	45	12	4,0	123	-	492,0	-	-	-
47.	46	12	4,0	118	-	472,0	-	-	-
48.	47	12	4,0	55	-	220,0	-	-	-
49.	48	12	3,0	17	-	51,0	-	-	-
50.	49	12	3,0	17	-	51,0	-	-	-
51.	50	12	3,5	88	-	308,0	-	-	-
52.	51	12	3,5	62	-	217,0	-	-	-
53.	52	10	2,5	14	-	-	35,0	-	-
54.	53	10	2,2	14	-	-	30,8	-	-
55.	54	10	5,1	6	-	-	30,7	-	-
56.	55	10	5,3	6	-	-	31,5	-	-
57.	56	10	2,0	16	-	-	32,0	-	-
58.	57	12	4,0	55	-	220,0	-	-	-
59.	58	10	4,2	15	-	-	63,0	-	-
60.	59	10	12,0	78	-	-	936,0	-	-
Razem długość w mb.					0,0	3585,0	6524,0	0,0	0
Masa 1 mb [kg/mb]					1,58	0,888	0,617	0,395	0,222
Masa całkowita [kg]					0,00	3183,48	4025,3	0,0	0,0

Zestawienie stali do rysunku nr 68.

L.P.	Element	Nr.Pręta	Śred. ϕ	Dług.pręta [m]	L.Prętów [szt]	Długość				
						A-IIIN	A-IIIN	A-IIIN	A-IIIN	A-IIIN
						$\phi 16$	$\phi 12$	$\phi 10$	$\phi 8$	$\phi 6$
1.	Wieniec	1	12	76	4	-	304,0	-	-	-
2.	W2-1	2	6	0,94	300	-	-	-	-	282
3.	Wieniec	1	12	70	4	-	280,0	-	-	-
4.	W2-2	2	6	0,94	265	-	-	-	-	249,1
5.	Gzys	3	6	1,12	266	-	-	-	-	297,92
6.	Gz-1	4	10	34	4	-	-	136,0	-	-
Razem długość w mb.						0,0	584,0	136,0	0,0	829,02
Masa 1 mb [kg/mb]						1,58	0,888	0,617	0,395	0,222
Masa całkowita [kg]						0,00	518,59	83,9	0,0	184,0

Zestawienie stali do rysunku nr 72.

L.P.	Element	Nr.Pręta	Śred. ϕ	Dług.pręta [m]	L.Prętów [szt]	Długość				
						A-IIIN	A-IIIN	A-IIIN	A-IIIN	A-IIIN
						$\phi 16$	$\phi 12$	$\phi 10$	$\phi 8$	$\phi 6$
1.	Wieniec	1	10	80	4	-	-	320,0	-	-
2.	W3-1	2	6	0,76	320	-	-	-	-	243,2
Razem długość w mb.						0,0	0,0	320,0	0,0	243,2
Masa 1 mb [kg/mb]						1,58	0,888	0,617	0,395	0,222
Masa całkowita [kg]						0,00	0,00	197,4	0,0	54,0

Zestawienie stali do rysunku nr 73.

L.P.	Element	Nr.Pręta	Śred. ϕ	Dług.pręta [m]	L.Prętów [szt]	Długość				
						A-IIIIN	A-IIIIN	A-IIIIN	A-IIIIN	A-IIIIN
						ϕ 25	ϕ 12	ϕ 10	ϕ 8	ϕ 6
1.	Szyb Sw-1	1	10	2,66	162	-	-	430,9	-	-
2.		2	10	2,70	162	-	-	437,4	-	-
3.		3	10	1,63	14	-	-	22,8	-	-
4.		4	6	0,52	176	-	-	-	-	91,52
5.		5	10	4,66	72	-	-	335,5	-	-
6.		6	10	1,72	14	-	-	24,1	-	-
7.		7	10	2,05	2	-	-	4,1	-	-
8.		8	10	5,08	72	-	-	365,8	-	-
9.		9	10	1,96	14	-	-	27,4	-	-
10.		10	10	0,89	40	-	-	35,6	-	-
11.		11	10	1,3	40	-	-	52,0	-	-
12.		12	25	1,7	3	5,1	-	-	-	-
Razem długość w mb.						5,1	0,0	1735,6	0,0	91,52
Masa 1 mb [kg/mb]						3,14	0,888	0,617	0,395	0,222
Masa całkowita [kg]						16,01	0,00	1070,9	0,0	20,3

Pozostałe zestawienia podano na rysunkach.